acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

SECTION 1: Identification

1.1 Product identifier

Tride name TriboCal® XT 100-1 MAXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricant

Lubricants, greases, release products

General use

1.3 Details of the supplier of the safety data sheet

Aerospace Lubricants, Inc. 1600 Georgesville Rd. Columbus Ohio 43228 United States

Telephone: +1 (614) 878-3600 Telefax: +1 (614) 878-1600

e-mail: info@aerospacelubricants.com

e-mail (competent person) sds@aerospacelubricants.com

1.4 Emergency telephone number

Emergency information service (ChemTel, 24 hrs.) +01-813-248-0585

+1 (800) 255-3924 (USA & Canada)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) not required

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

United States: en Page: 1 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

3.2 Mixtures

Description of the mixture

| Hazardous ingredients acc. to GHS | | | | | |
|-----------------------------------|----------------------|-----------|----------------------------|--------------|--|
| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | |
| synthetic oil | | 25 - < 50 | Asp. Tox. 1 / H304 | & | |
| calcium sulfonate | CAS No 26264-06-2 | 1-<5 | Acute Tox. 4 / H302 | <u>(1)</u> | |

Hazardous ingredients

All ingredients are listed or exempt from listing. Not all ingredients are listed.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 3 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Storage temperature

Recommended storage temperature: 0 - 40°C

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1

Occupational exposure limit values (Workplace Exposure Limits)

Components., Hazardous combustion products.

This information is not available.

| Relevant DNELs o | f components | of the mixture |
|------------------|--------------|----------------|
|------------------|--------------|----------------|

| relevant Brizza of components of the finiteare | | | | | | |
|--|------------|---------------|----------------------|------------------------------------|-------------------|---------------------------------|
| Name of substance | CAS No | End- point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| calcium sulfonate | 26264-06-2 | DNEL | 52 mg/m³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| calcium sulfonate | 26264-06-2 | DNEL | 52 mg/m³ | human, inhalatory | worker (industry) | acute - systemic effects |
| calcium sulfonate | 26264-06-2 | DNEL | 52 mg/m³ | human, inhalatory | worker (industry) | chronic - local ef- fects |
| calcium sulfonate | 26264-06-2 | DNEL | 52 mg/m³ | human, inhalatory | worker (industry) | acute - local ef- fects |
| calcium sulfonate | 26264-06-2 | DNEL | 57.2 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| calcium sulfonate | 26264-06-2 | DNEL | 80 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

United States: en Page: 4 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End- point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|------------|---------------|------------------------------------|----------------------------|-----------------------------------|---------------------------------|
| calcium sulfonate | 26264-06-2 | PNEC | 0.28 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| calcium sulfonate | 26264-06-2 | PNEC | 0.458 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) |
| calcium sulfonate | 26264-06-2 | PNEC | 50 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |
| calcium sulfonate | 26264-06-2 | PNEC | 27.5 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| calcium sulfonate | 26264-06-2 | PNEC | 2.75 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| calcium sulfonate | 26264-06-2 | PNEC | 25 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

United States: en Page: 5 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

| Physical state | solid (semi-solid) |
|--|---|
| Color | brown |
| Odor | slight odor |
| Other safety parameters | |
| pH (value) | not applicable |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | not determined |
| Flash point | >222 °C |
| Evaporation rate | not determined |
| Flammability (solid, gas) | this material is combustible, but will not ignite readily |
| Explosion limits of dust clouds | not determined |
| Vapor pressure | <0.1 hPa at 20 °C |
| Density | not determined |
| Vapor density | this information is not available |
| Relative density | 0.85 – 1.05 (water = 1) |
| Solubility(ies) | not determined |
| Partition coefficient | |
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | |
| Viscosity | not relevant (solid matter) |
| Explosive properties | none |
| Oxidizing properties | none |
| Other information | |
| Temperature class (USA, acc. to NEC 500) | T2 (maximum permissible surface temperature on the equipment: |

United States: en Page: 6 / 13

300°C)

9.2

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

| | (ATT) C | C . 1 |
|-------------------------|---------------------|----------------|
| Acute toxicity estimate | (ATE) of components | of the mixture |

| Name of substance | CAS No | Exposure route | ATE |
|-------------------|------------|----------------|-------------------------------------|
| calcium sulfonate | 26264-06-2 | oral | 1,300 ^{mg} / _{kg} |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United States: en Page: 7 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 8 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|------------|---------|-------------------|-------------------------|
| calcium sulfonate | 26264-06-2 | | 1 | 1000 (454) |

Legend

United States: en Page: 9 / 13

[&]quot;1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

Clean Air Act

none of the ingredients are listed

New Jersey Worker and Community Right to Know Act

| Right to Know Hazardous Substance List | | | | | |
|---|------------|---------|-----------------|--|--|
| Name acc. to inventory | CAS No | Remarks | Classifications | | |
| hexylene glycol | 107-41-5 | | F2 | | |
| CALCIUM DODECYLBENZENE SULFONATE (BENZENESULFONIC ACID, DODECYL-, CAL- CIUM SALT) | 26264-06-2 | | | | |

Legend

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): Regulated Volatile Organic Compounds (VOC-Cal ARB):

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| HEALTH | 1 | 0 |
|-------------|------|---------------|
| FLAMMABILI | TY | 1 |
| PHYSICAL HA | ZARD | 0 |
| | | $\overline{}$ |

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 0 | no significant risk to health |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

United States: en Page: 10 / 13

F2 Flammable - Second Degree

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Re-



| Category | Degree of hazard | Description |
|----------------|---------------------|--|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CA | NDSL | not all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

AICS
CICR
CSCL-ENCS
DSL
ECSI
IECSC Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China

United States: en Page: 11 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

Legend

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
Non-domestic Substances List (NDSL)
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act INSQ ISHA-ENCS KECI NDSL NZIoC PICCS

REACH Reg. TCSI TSCA

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|----------------|--|
| 49 CFR US DOT | 49 CFR § 40 U.S. Department of Transportation |
| Acute Tox. | Acute toxicity |
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| Cal ARB | California Air Resources Board |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EPA | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |

United States: en Page: 12 / 13

acc. to 29 CFR 1910.1200 App D

TriboCal® XT 100-1 MAXX

Version number: GHS 1.0 Date of compilation: 2019-11-22

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|---|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 13 / 13